

Optics InfoBase

Published by The Optical Society of America

<< Previous Results 1-17 of 17 Sort By: Relevance | Most Recent Next >>

Export and save citations. Select articles then choose an action.

☐ Select all

Select an action...

Icons
indicate
any
special
status.Ref
an

Fre

Fre

Se

Se
filA "Black-Link" Approach for Sharing Optical Fiber Infrastructure and Enabling Multi-Services

- Optical Fiber Communication Conference (OFC) 2006 paper: JThB98
- Technical Digest (CD)
- Atieh, Ahmad K; Perez, Pablo; Sheikh, Fahim; Andrew, Robin
- As the telecommunications industry recovers, the main goal is to introduce new high revenue services at the lowest possible cost while maximizing the leverage of existing legacy...

A "Black-Link" Approach for Sharing Optical Fiber Infrastructure and Enabling Multi-Services

- National Fiber Optic Engineers Conference (NFOEC) 2006 paper: JThB98
- Technical Digest (CD)
- Atieh, Ahmad K; Perez, Pablo; Sheikh, Fahim; Andrew, Robin
- As the telecommunications industry recovers, the main goal is to introduce new high revenue services at the lowest possible cost while maximizing the leverage of existing legacy...

Consolidation of a Metro Network into an Access Network Based on Long-Reach DWDM-PON

- National Fiber Optic Engineers Conference (NFOEC) 2006 paper: NWA2
- Technical Digest (CD)
- Lee, Sang-Mook; Mun, Sil-Gu; Lee, Chang-Hee
- Historically, the maximum transmission length of a PON (Passive Optical Network) has been considered as 20-km. Then, a single CO

(Central Office) that has switching equipment and...



Highly compact and tunable optical add-drop multiplexer in dense WDM network systems

- Journal of Optical Networking, Vol. 2 Issue 10, pp.370-378 (2003)
- Zhu, Yinian; Shum, Ping; Lu, Chao; Lacquet, Beatrys; Swart, Pieter; Spammer, Stephanus
- We designed and configured a highly compact and tunable optical add-drop multiplexer (OADM) device that consists of long-period gratings (LPGs) and piezoelectric ceramic fiber...



System demonstration of wavelength-tunable multiple-ITU-WDM-channel add/ drop multiplexer using an optical-switch pair and fiber Bragg gratings

- Optical Fiber Communication Conference (OFC) 1998 paper: WM39
- 1998 OSA Technical Digest Series
- Liaw, S K; Chen, Y K; Lee, C C



Extension of TDM-PON Standards to a Single-Fiber Ring Access Network Featuring Resilience and Service Overlay

- Journal of Lightwave Technology, Vol. 25 Issue 6, pp.1416-1421 (2007)
- Bock, Carlos; Lázaro, José A; Prat, Josep
- A novel single-fiber ring-tree topology overlying multiple time-division-multiplexed (TDM) passive optical networks is presented and demonstrated. Each TDM service is overlaid on a...



A Photonic Front-End Processor in a WDM ATM Multicast Switch

- Journal of Lightwave Technology, Vol. 18 Issue 3, pp.273- (2000)
- Chao, H J; Wu, L; Zhang, Z; Yang, S H; Wang, L M; Chai, Y; Fan, J Y; Choa, F S
- Dense wavelength-division multiplexing (DWDM) technology has provided tremendous transmission capacity in optical fiber communications. However, switching and routing capacity is still...



Multiple-Beam Fiber-Optic Beamformer With Binary Array of Delay Lines

- Journal of Lightwave Technology, Vol. 21 Issue 12, pp.3262- (2003)
- Granieri, S; Jaeger, M; Siahmakoun, A
- A multibeam optical beamformer capable of controlling a phased-array antenna in receive/transmit mode is proposed. The processor can be programmed to sweep the antenna aperture...



Investigation of thermo-optic effect and multi-reflector tunable filter/ multiplexer in SOI waveguides

- Optics Express, Vol. 13 Issue 9, pp.3429-3437 (2005)
- Passaro, Vittorio; Magno, Francesca; Tsarev, Andrei
- The paper presents an analysis of thermo-optic phase shifters in silicon-on-insulator (SOI) waveguide structures. It gives recommendations to provide high tuning characteristics at...



DWDM Reach Extension of a GPON to 135 km

- Journal of Lightwave Technology, Vol. 24 Issue 1, pp.29- (2006)
- Davey, Russell P; Healey, Peter; Hope, Ian; Watkinson, Phil; Payne, Dave B; Marmur, Oren; Ruhmann, Jörg; Zuiderveld, Yvonne
- We report the operation of a gigabit-capable passive optical network (GPON, 2.488 Gb/s downstream and 1.244 Gb/s upstream) over 135 km giving performance that is consistent with the...



Multi-Channel High-Speed Optical Pulse Train Generation Based on Phase Modulation at Half Frequency

- Conference on Lasers and Electro-Optics (CLEO) 2007 paper: CMJJ7
- OSA Technical Digest Series (CD)
- Yu, Changyuan; Li, Zhaohui; Yang, Jing; Wang, Yixin
- We demonstrate ITU-grid multi-channel high-speed (40-GHz experimentally, and 80-GHz in simulation) chirp-free return-to-zero optical pulse train generation by a single phase...



Delivery of Digital Video and Other Multimedia Services (>1 Gb/ s Bandwidth) in Passband above the 155 Mb/ s Baseband Services on a FTTx Full Service Access Network

- Journal of Lightwave Technology, Vol. 17 Issue 12, pp.2449- (1999)
- Chand, Naresh; Magill, Peter D; Swaminathan, Swami V; Daugherty, Thomas H
- For low cost passive optical access networks (PON), we have studied the downstream delivery of an additional > 1 Gb/s in the passband above the 155 Mb/s baseband services. Both...



Tunable multi-wavelength fiber ring laser based on a Hi-Bi fiber loop mirror

- Chinese Optics Letters, Vol. 2 Issue 9, pp.531-533 (2005)
- Wang, Zhaoying; Hu, Zhiyong; Ge, Chunfeng; Jiang, Xiaojun; Bao, Huanmin; Jia, Dongfang; Li, Shichen
- A novel tunable multi-wavelength fiber ring laser based on semiconductor optical amplifier (SOA) is proposed by using a high-birefringence (Hi-Bi) fiber loop mirror (FLM) as...



A new approach of planar multi-channel wavelength division multiplexing system using asymmetric super-cell photonic crystal structures

- Optics Express, Vol. 15 Issue 1, pp.198-206 (2007)
- Kuo, Chih-Wen; Chang, Chih-Fu; Chen, Mao-Hsiung; Chen, Shih-Yuan; Wu, Yaw-Dong
- This work demonstrated a new approach of planar multi-channel wavelength division multiplexing (WDM) system using photonic crystal structures. The system consists of a waveguide...



Spectral Efficient Transmission of 40Gbps per Channel over 50GHz Spaced DWDM Systems Using Optical Carrier Suppression, Separation and Optical Duobinary Modulation

- National Fiber Optic Engineers Conference (NFOEC) 2006 paper: NTuC2
- Technical Digest (CD)
- Xu, Lei; Wang, Ting; Chowdhury, Arshad M; Yu, Jianjun; Chang, Gee-Kung; Fukuchi, Kiyoshi; Ito, Toshiharu

- The explosive growth in current data centric internet traffic requires increasing the number of optical channels and the data rate per channel in today's dense-wavelength division...




On the Resource Efficiency of Virtual Concatenation in SDH/ SONET Mesh Transport Networks Bearing Protected Scheduled Connections

- Journal of Lightwave Technology, Vol. 23 Issue 10, pp.3012- (2005)
- Kuri, Josu?; Gagnaire, Maurice; Puech, Nicolas
- Virtual concatenation (VCAT) is a Synchronous Digital Hierarchy (SDH)/Synchronous Optical Network (SONET) network functionality recently standardized by the International...




Flexible FTTX Deployment Using Segmented Ribbon and Bend Insensitive Fiber

- National Fiber Optic Engineers Conference (NFOEC) 2006 paper: NTuA1
- Technical Digest (CD)
- Van Vickle, Patrick; Stokes, Steve; Mackie, George
- Fiber to the premises deployments have grown significantly with over one million homes passed. Every sign points to this trend continuing both in the Northeast and other markets....

Export and save citations. Select articles then choose an action. 

☐ Select all

Select an action... 



<< Previous Results 1 - 17 of 17 Sort By: Relevance | Most Recent Next >>